# ENGRAVING & MARKING OVERVIEW





#### CONSUMABLES

Our material range has been specially developed for engraving and cutting. "Surface" or "reverse" engraving, laser marking or cutter engraving, also compatible with digital printing, all our ranges of plastic, metal or stratified materials are available in a spectrum of colours, thicknesses, and finishes.



Laser materials

Rotary materials





With our direct presence in over 50 countries, we always have a marking and engraving expert close to you to

bring their expertise and know-how in qualifying your application, installing your equipment and training your



Training

SERVICE & SUPPORT

collaborators.

Technical Support

Maintenance

## Engravables



Signage



Cutters & Inserts



Engraving supplies

#### THE EXPRESSION OF THINGS

be able to express themselves. With CAD software and Consumables creation to production and service the cutting-edge technologies that with support all over the world. we master for permanent marking and engraving, we are giving this power to objects.

Laser, mechanical engraving, to innovate and shape the future of scribing and dot peen: we are the the Expression of Things. only ones to pioneer and master all these types of marking.

The result of the integration of

Humans have a unique quality: to We are a manufacturer of machines, We know the entire chain, from to provide you with the offer, best suited to vour needs.

> pioneering technologies, we are Gravotech was born in 2008 from constantly exploring new solutions the merger of Gravograph, Technifor and Type3 and unified under one brand in 2021.

## SOFTWARE

Our engraving and cutting expertise lead us to build our own software. Create your engraving and cutting paths, pilot your machines, design your 3D jewelry, Anything is possible!



ABC software is the easiest engraving software for

only 3 simple steps, from a computer or a tablet!

3 DESIGN

Cutting edge 3D software for jewelry design that

will keep your business ahead.



GRAVOSTYLETM

One-of-a-kind piloting software for Gravotech laser

and rotary engraving machines.

TYPE EDIT

For over 30 years, TYPE EDIT is the complete

CAD/CAM software solution. Taking your ideas

and drawings, through design and machining to





LASERTRACE





TYPE3-CAA

TYPE3-CAA is the only add-on available in CATIA ® environment for text creation and mapping.

## Gravotech in video







#### GRAVOTECH ENGINEERING PVT LTD Gat No 2323/1, 'Reality Warehousing', Nagar Road 412207, Pune – Wagholi, India

www.gravotech.in













Gravotech-Overview-04-2024-en-IN. The information, photos and illustrations contained in this document are not binding and can be modified without notice. This document is non contractual. Gravograph™, Gravotech™, Technifor™, WeLase™, Gravostyle™ and Dedicace™ are used, pending or registered trademarks of a C ©Gravotech Marking - 466 rue des Mercières - Z.I. Périca - 69140 Rillieux-la-Pape - France. Société par Actions Simplifiée with a share capital of 11 531 016€ - SIREN : 334 818 515 RCS Lyon. LASER

**TABLES** 



CNC

**TABLES** 

**ENGRAVING** 

STATION

18200

Small signage and identification



IS400 / IS400 VOLUME

One of a kind metal engraving machine



The large format CNC engraving machine

ISx000



LS100

CO2 laser engraver for signage, creative



The signage and small series

LS100EX



LS900

The large laser engraver that



FIBER

Integrated laser marking system



HYBRID

The best compromise between

versatility, high quality and high



GREEN

CO2

Integrated laser marking system to	
mark highly reflective materials and	
sensitive plastic materials	

nign-speed laser engraver.
the best to mark organic materials
and coated surfaces

• 10 600 nm

30 W

	engraving machine				cutting, and personalization	laser engraving macnine	can do everything		for metal and plastic parts	speed to meet all your marking needs	sensitive plastic materials	and coated
Application scope	••	•••	•••	Application scope	•••	•••	•••	Application scope	••	••	• •	•
Technology	Rotary, diamond dragging	Rotary, diamond dragging	Rotary, diamond dragging	Laser source	CO2	CO2, Fiber	CO2, Fiber, Edge	Wavelength	1 064 nm	1 064 nm	532 nm	10 600
Max. marking area (L x H)	225 x 80 mm (9 x 3 in)	305 x 210 mm (12 x 8 in)	<b>IS6000</b> : 610 x 410 mm (24 x 16 in) <b>IS7000</b> : 610 x 815 mm (24 x 32 in) <b>IS8000</b> : 610 x 1220 mm (24 x 48 in)	Power (W)	25 - 30 - 40 - 60	<b>CO2:</b> 25 - 30 - 40 - 60 <b>CO2 Energy:</b> 25 <b>Fiber:</b> 20 - 30	CO2: 40 - 60 - 80 Fiber: 20 - 30 - 50 Edge: (CO2: 40 / Fiber: 20 - 30 - 50)	Power	Fiber: 20 - 30 - 50 W Fiber Energy: 20 - 30 W MOPA*: 20 - 30 - 60 W	10 - 20 W	5 - 10 W	30
		90 W		Max. marking area (L x H)	460 x 305 mm (18 x 12 in)	610 x 305 mm (24 x 12 in)	610 x 610 mm (24 x 24 in)	Process automation		Industrial Ethernet Networks:	PROFINET / ETHERNET IP	
Spindle power	20 W	90 W (optional spindle: 150 W)	90 - 200 W (optional spindle: 150, 750, 1k W)	Lenses (in)	1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0	1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0	1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0	Embedded intelligence		Autonomous / Programmable by PLC / No	PC required / Traceability Management	
Max. object height	30 mm (1.2 in)	<b>IS400:</b> 105 mm (4 in) <b>IS400 Volume:</b> 400 mm (15.75 in)	80 mm (3 in)	Max. object height	145 mm (5.7 in)	145 mm (5.7 in)	250 mm (9.8 in)	Laser classification		ystem, possibility to switch in Class 1 for integ		
1			_						MINI-I	NLINE		



IM3

The iconic pantograph

by Gravotech



M10 JEWEL

Compact ring and bracelet

engraving machine



Custom engraving for all kind

of purposes, from jewelry and perfume to small industrial signage

M 2 0



M40/M40GIFT

Multi-purpose rotary engraving

machine for signage and gifts



LASER WELASETM STATIONS



LW2

Fully automated laser marking station



LW3

Fully automated high volume

industrial laser station



**INTEGRABLE** 

DOT PEEN

INTEGRABLE

LASER

MARKERS



The fastest pneumatic dot peen

marking machine on the market

XF510 p



XF510 m

XF530 p/m

The precise and consistent electromagnetic dot peen marking machine	Deep and indelible dot peen marking
•	•

••	•	•••	•••	Application scope	••	•••	•••	Application scope	•	•	•
Rotary, scribing	Scribing	Rotary, scribing	Rotary, scribing	Laser source	Fiber, Hybrid, Green, CO2	Fiber, Hybrid, Green	Fiber, Hybrid, Green	Technology	Dot peen Pneumatic	Dot peen Electromagnetic	Dot peen Pneumatic or Electromagnet
250 x 140 mm (9.9 x 5.5 in)	-	100 x 100 mm (4 x 4 in)	305 x 210 mm (12 x 8 in)	Use rate	Adapted for small to medium batches	Fully automatic Adapted for high use rate	Fully automatic Adapted for high production rates and large parts	Main advantage	Speed	2D codes	Deep marking
50 W	-	30 W	30 W	Max. marking area (L x I)	110 x 110 mm (4.3 x 4.3 in)	Up to 205 x 205 mm (8 x 8 in)	Up to 875 x 300 mm (34 x 12 in)		<b>Cp:</b> 50 x 20 mm (2 x 0.8 in),	Cm: 50 x 20 mm (2 x 0.8 in),	200 50 (50
50 mm (2 in)	ø 12.5 - 80 mm (0.5 x 3.15 in)	100 mm (4 in)	110 mm (4.3 in)	Max. object height	Fiber, Hybrid, Green: 100 mm (4 in) CO2: 180 mm (7 in)	Up to 322 mm (12.7 in)	Up to 628 mm (24.72 in)	Max. marking area (L x H)	<b>Sp:</b> 100 x 80 mm (4 x 3.15 in), <b>Dp:</b> 200 x 80 mm (7.9 x 3.15 in)	<b>Sm:</b> 100 x 80 mm (4 x 3.15 in), <b>Dm:</b> 200 x 80 mm (7.9 x 3.15 in)	200 x 50 mm (7.9 x 2 in)
580 x 510 x 280 mm (22.8 x 20 x 11 in)	230 x 293 x 290 mm (9 x 11.5 x 11.4 in)	375 x 350 x 360 mm (14.8 x 14 x 14.2 in)	550 x 510 x 320 mm (27.7 x 20 x 12.6 in)	Max. object weigth	3 kg (6.6 lbs)	25 kg (55 lbs)	50 kg (110.23 lbs)	Material hardness (HRC)	< 62	< 62	< 62
	250 x 140 mm (9.9 x 5.5 in) 50 W 50 mm (2 in) 580 x 510 x 280 mm	250 x 140 mm (9.9 x 5.5 in) - 50 W - 50 mm (2 in) Ø 12.5 - 80 mm (0.5 x 3.15 in) 580 x 510 x 280 mm 230 x 293 x 290 mm	Rotary, scribing         Scribing         Rotary, scribing           250 x 140 mm (9.9 x 5.5 in)         -         100 x 100 mm (4 x 4 in)           50 W         -         30 W           50 mm (2 in)         Ø 12.5 - 80 mm (0.5 x 3.15 in)         100 mm (4 in)           580 x 510 x 280 mm         230 x 293 x 290 mm         375 x 350 x 360 mm	Rotary, scribing         Scribing         Rotary, scribing         Rotary, scribing           250 x 140 mm (9.9 x 5.5 in)         -         100 x 100 mm (4 x 4 in)         305 x 210 mm (12 x 8 in)           50 W         -         30 W         30 W           50 mm (2 in)         Ø 12.5 - 80 mm (0.5 x 3.15 in)         100 mm (4 in)         110 mm (4.3 in)           580 x 510 x 280 mm         230 x 293 x 290 mm         375 x 350 x 360 mm         550 x 510 x 320 mm	Rotary, scribing         Scribing         Rotary, scribing         Rotary, scribing         Laser source           250 x 140 mm (9.9 x 5.5 in)         -         100 x 100 mm (4 x 4 in)         305 x 210 mm (12 x 8 in)         Use rate           50 W         -         30 W         30 W         Max. marking area (L x I)           50 mm (2 in)         Ø 12.5 - 80 mm (0.5 x 3.15 in)         100 mm (4 in)         110 mm (4.3 in)         Max. object height           580 x 510 x 280 mm         230 x 293 x 290 mm         375 x 350 x 360 mm         550 x 510 x 320 mm         Max. object weight	Rotary, scribing         Scribing         Rotary, scribing         Laser source         Fiber, Hybrid, Green, CO2           250 x 140 mm (9.9 x 5.5 in)         -         100 x 100 mm (4 x 4 in)         305 x 210 mm (12 x 8 in)         Use rate         Adapted for small to medium batches           50 W         -         30 W         30 W         Max. marking area (L x I)         110 x 110 mm (4.3 x 4.3 in)           50 mm (2 in)         Ø 12.5 - 80 mm (0.5 x 3.15 in)         100 mm (4 in)         110 mm (4.3 in)         Max. object height         Fiber, Hybrid, Green: 100 mm (4 in)           580 x 510 x 280 mm         230 x 293 x 290 mm         375 x 350 x 360 mm         550 x 510 x 320 mm         Max. object height         3 log (6.6 lbs)	Rotary, scribing         Scribing         Rotary, scribing         Laser source         Fiber, Hybrid, Green, CO2         Fiber, Hybrid, Green           250 x 140 mm (9.9 x 5.5 in)         -         100 x 100 mm (4 x 4 in)         305 x 210 mm (12 x 8 in)         Use rate         Adapted for small to medium batches         Fully automatic Adapted for high use rate           50 W         -         30 W         Max. marking area (L x I)         110 x 110 mm (4.3 x 4.3 in)         Up to 205 x 205 mm (8 x 8 in)           50 mm (2 in)         Ø 12.5 - 80 mm (0.5 x 3.15 in)         100 mm (4 in)         110 mm (4.3 in)         Max. object height         Fiber, Hybrid, Green: 100 mm (4 in)         Up to 322 mm (12.7 in)           580 x 510 x 280 mm         230 x 293 x 290 mm         375 x 350 x 360 mm         550 x 510 x 320 mm         Max. object height         3 log (6.6 lbs)         3 log (6.6 lbs)	Rotary, scribing         Scribing         Rotary, scribing         Rotary, scribing         Laser source         Fiber, Hybrid, Green, CO2         Fiber, Hybrid, Green         Fiber, Hybrid, Green           50 x 140 mm (9.9 x 5.5 in)         -         100 x 100 mm (4 x 4 in)         305 x 210 mm (12 x 8 in)         Use rate         Adapted for small to medium batches         Fully automatic Adapted for high use rate         Fully automatic Adapted for high use rate         Adapted for high use rate         Adapted for high production rates and large parts           50 W         -         30 W         30 W         Max. marking area (L x I)         110 x 110 mm (4.3 x 4.3 in)         Up to 205 x 205 mm (8 x 8 in)         Up to 875 x 300 mm (34 x 12 in)           50 mm (2 in)         \$12.5 - 80 mm (0.5 x 3.15 in)         100 mm (4 in)         110 mm (4.3 in)         Max. object height         Fiber, Hybrid, Green: 100 mm (4 in)         Up to 322 mm (12.7 in)         Up to 628 mm (24.72 in)           580 x 510 x 280 mm         230 x 293 x 290 mm         375 x 350 x 350 x 350 mm         550 x 510 x 320 mm         Max object height         3 kg (56 lbr)         25 kg (55 lbr)         50 kg (10.23 lbr)	Rotary, scribing Scribing Scribing Rotary, scribing Rotary, scribing Rotary, scribing Laser source Fiber, Hybrid, Green, CO2 Fiber, Hybrid, Green Fiber, Hyb	Rotary, scribing Scribing Rotary, scribi	Rotary, scribing Scribing Scribing Rotary, scribing Rotary, scribing Rotary, scribing Laser source Fiber, Hybrid, Green, CO2 Fiber, Hybrid, Green Fiber, Hyb


## APPLICATIONS OF ENGRAVING, MARKING AND CUTTING


Look around you and you'll notice that most objects around you are marked, engraved or customized. Find them and you'll find Gravotech!
















Benchtop dot peen

marking station

Small laser engraving station

DOT PEEN STATION



Application scope	•
Technology	Dot peen pneumatic or electromagnectic
Software	Integrated traceability software with color touchscreen
Marking area max. (L x H)	100 x 120 mm (4 x 4.7 in)
Z axis stroke	300 mm (11.8 in)
Z axis type	Manual or motorized & programmable

#### Want to know more?



**INTEGRABLE** 

SCRIBING





The quiet metal marking machine

The VIN scribing marking machine

Application scope	•	•
Technology	Scribing	Scribing
Main advantage	Quiet	Deep marking
Max. marking area (L x H)	<b>Cr:</b> 40 x 50 mm (1.6 x 2 in), <b>Sr:</b> 80 x 50 mm (3.15 x 2 in), <b>Dr:</b> 160 x 50 mm (6.3 x 2 in)	120 x 40 mm (4.72 x 1.6 in)
Material hardness (HRC)	< 62	< 62